



* IN COMMERCIAL OR NON-RESIDENTIAL AREAS SIDEWALK SHALL BE 5' IN WIDTH. IN RESIDENTIAL AREAS SIDEWALK SHALL BE 4' IN WIDTH

TYPICAL ARTERIAL STREETS
NOT TO SCALE




* IN COMMERCIAL OR NON-RESIDENTIAL AREAS SIDEWALK SHALL BE 5' IN WIDTH. IN RESIDENTIAL AREAS SIDEWALK SHALL BE 4' IN WIDTH


TYPICAL RESIDENTIAL OR COMMERCIAL COLLECTOR STREETS
NOT TO SCALE




TYPICAL LOCAL COMMERCIAL STREETS
NOT TO SCALE




TYPICAL LAND ACCESS AND LOCAL RESIDENTIAL STREETS
NOT TO SCALE



PLAN




SIDE ELEVATION




FRONT ELEVATION

POINT A MUST BE HIGHER THAN POINT B TO ENSURE THAT WATER FLOWS OVER THE DIKE AND NOT AROUND THE ENDS.


URETHANE FOAM/GEOTEXTILE DITCH CHECK




TYPICAL CUL-DE-SAC



MINIMUM REVERSE CURVES




MINIMUM SIGHT LINES AT INTERSECTION




DETAILS

FASTENER - MIN. No. 9 GAGE WIRE
4 PER POST REQUIRED (TYP.)

60" MIN. FENCE POSTS, EITHER
TYPE 1 OR U, OR 2" X 2" HARDWOOD



ELEVATION VIEW



PLAN VIEW

SILT FILTER FENCE

REV	DATE	DESCRIPTION

NAME/DATE:

Village of Hamel

111 South Old U.S. 66 • P.O. Box 945 • Hamel, Illinois 62046
(618) 638-2484

VILLAGE OF HAMEL
STANDARD SPECIFICATIONS
FOR TYPICAL CROSS SECTIONS, DESIGN
CONSIDERATIONS, AND EROSION CONTROL METHODS

SHEET NO.

T-1